CONTENTS

List of committees ix

Preface xi

Opening address xiii

Welcome address xv

Welcome address xvii

Opening address xix

Plenary session

Confinement of quarks
G. 't Hooft 3c

Making sense of the quark–gluon quagmire at RHIC
J.W. Harris 20c

The quark–gluon plasma at RHIC
U. Heinz 30c

Hadrons and lattice QCD
A. Ukawa 40c

Hadron–nucleus bound-state spectroscopy
T. Yamazaki 50c

Unitarized chiral perturbation theory of hadrons
E. Oset 58c

Nucleon form factors
K. de Jager 66c

Theoretical approaches to hadrons in nuclear matter
G. Chanfray 76c

Matter with strangeness
H. Tamura 84c

Effective field theory for nuclear physics
M.J. Savage 94c

Summary of solar neutrino measurements
A.B. McDonald 104c

Recent results of LEPS at SPring-8
T. Nakano, for the LEPS Collaboration: D.S. Ahn, J.K. Ahn, H. Akimune, Y. Asano, H.C. Bhang, W.C. Chang, S. Daté, H. Ejiri, H. Fujimura, M. Fujiwara, K. Hicks, T. Hotta, K. Imai, T. Ishikawa, T. Iwata, H. Kawai, Z.Y. Kim, K. Kino, F.J. Klein, H. Kohri, N. Kumagai, S. Makino, T. Matsuda, T. Matsumura, N. Matsuoka, T. Mibe, K. Miwa, M. Miyabe, Y. Miyachi, M. Morita, N. Muramatsu, H. Nakamura, T. Nakano, M. Niiyama, M. Nomachi, Y. Ohashi, T. Ooba, H. Ohkuma, D.S. Oshuev, C. Rangacharyulu, A. Sakaguchi, T. Sasaki, D. Seki, P.M. Shagin, Y. Shiino, H. Shimizu, Y. Sugaya, M. Sumihama, Y. Toi, H. Toyokawa, A. Wakai, C.W. Wang, S.C. Wang, K. Yonehara, T. Yorita, M. Yoshimura, M. Yosoi and R.G.T. Zegers 112c

Polarized structure functions in the valence quark and resonance regions and the GDH sum
Z.-E. Meziani 118c

Structure of the nucleon and nuclei studied by HERMES
H.E. Jackson 127c

Nucleon structure and QCD
J. Kodaira 135c

Physics with RHIC spin collider
H. En'yo 143c

CP violation in B-meson decays
S. Noguchi, from Belle Group 151c

The muon anomalous magnetic moment and the Standard Model
D.W. Hertzog, on behalf of the Muon $(g-2)$ Collaboration 161c

Searches on double beta decay and dark matter
E. Fiorini 171c

Neutron β-decay and the Standard Model
H. Abele 182c

Physics prospects with high intensity proton accelerator (J-PARC) at Tokai
S. Nagamiya 190c

Physics prospects with the JLab 12-GeV upgrade
E.S. Smith 198c

Future facilities for nuclear and particle physics at Brookhaven
S. Aronson 206c

On future facility plans in Europe
W.F. Henning 211c

Parallel sessions

Session 1: Hot and dense matter

Recent results from the PHENIX experiment at RHIC
J. Lajoie, for the PHENIX Collaboration 221c

Recent results from PHOBOS at RHIC
R. Pak, for the PHOBOS Collaboration: B.B. Back, M.D. Baker, D.S. Barton, R.R. Betts, M. Ballintijn, A.A. Bickley, R. Bindel, A. Budzanowski, W. Busza, A. Carroll, M.P. Decowski, E. García, N. George, K. Gulbrandsen, S. Gushue, C. Halliwell, J. Hamblen, G.A. Heintzelman, C. Henderson, D.J. Hofman, R.S. Hollis, R. Hołyński, B. Holzman, A. Iordanova, E. Johnson, J.L. Kane, J. Katzy, N. Khan, W. Kucewicz, P. Kulinich, C.M. Kuo, W.T. Lin, S. Manly, D. McLeod, J. Michałowski, A.C. Mignerey, R. Nouicer, A. Olszewski, R. Pak, I.C. Park, H. Pernegger, C. Reed, L.P. Remsberg, M. Reuter, C. Roland, G. Roland, L. Rosenberg, J. Sagerer, P. Sarin, P. Sawicki, W. Skulski, S.G. Steadman, P. Steinberg, G.S.F. Stephans, M. Stodulski, A. Sukhanov, J.-L. Tang, R. Teng, A. Trzupek, C. Vale, G.J. van Nieuwenhuizen, R. Verdier, B. Wadsworth, F.L.H. Wolfs, B. Wosiek, K. Woźniak, A.H. Wuosmaa and B. Wysłouch 227c

Pseudorapidity distribution of charged particles from pp and Au + Au collisions at RHIC energies
H. Ito, for the BRAHMS Collaboration 231c

Rapidity dependence of strange particle ratios and spectra at $\sqrt{s_{NN}} = 200$ GeV Au–Au collisions
J.I. Jørdre, for the BRAHMS Collaboration 235c

Rapidity dependence of net-protons at $\sqrt{s_{NN}} = 200$ GeV
P. Christiansen, for the BRAHMS Collaboration 239c

Probing the QCD equation of state
R.A. Schneider, T. Renk, M. Thaler, A. Polleri and W. Weise 243c

Transverse momentum and transverse mass distributions of J/ψ mesons produced in p–A and Pb–Pb interactions at the CERN SPS
A.B. Kurepin, for the NA50 Collaboration: B. Alessandro, C. Alexa, R. Arnaldi, M. Atayan, C. Baglin, A. Baldit, M. Bedjidian, S. Beolè, V. Boldea, P. Bordalo, S.R. Borenstein, G. Borges, A. Bussière, L. Capelli, C. Castanier, J. Castor,

B. Chaurand, B. Cheynis, E. Chiavassa, C. Cicalò, T. Claudino, M.P. Comets, S. Constantinescu, P. Cortese, J. Cruz, A. De Falco, N. De Marco, G. Dellacasa, A. Devaux, S. Dita, O. Drapier, B. Espagnon, J. Fargeix, P. Force, M. Gallio, Y.K. Gavrilov, C. Gerschel, P. Giubellino, M.B. Golubeva, M. Gonin, A.A. Grigorian, S. Grigorian, J.Y. Grossiord, F.F. Guber, A. Guichard, H. Gulkanyan, R. Hakobyan, R. Haroutunian, M. Idzik, D. Jouan, T.L. Karavitcheva, L. Kluberg, A.B. Kurepin, Y. Le Bornec, C. Lourenço, P. Macciotta, M. Mac Cormick, A. Marzari-Chiesa, M. Masera, A. Masoni, M. Monteno, A. Musso, P. Petiau, A. Piccotti, J.R. Pizzi, W.L. Prado da Silva, F. Prino, G. Puddu, C. Quintans, L. Ramello, S. Ramos, P. Rato Mendes, L. Riccati, A. Romana, H. Santos, P. Saturnini, E. Scalas, E. Scomparin, S. Serci, R. Shahoyan, F. Sigaudo, M. Sitta, P. Sonderegger, X. Tarrago, N.S. Topilskaya, G.L. Usai, E. Vercellin, L. Villatte, N. Willis and T. Wu 249c

J/ψ and ϕ production from proton to Pb induced reactions at CERN SPS
D. Jouan, for the NA50 Experiment: B. Alessandro, C. Alexa, R. Arnaldi, M. Atayan, C. Baglin, A. Baldit, M. Bedjidian, S. Beolè, V. Boldea, P. Bordalo, S.R. Borenstein, G. Borges, A. Bussière, L. Capelli, C. Castanier, J. Castor, B. Chaurand, B. Cheynis, E. Chiavassa, C. Cicalò, T. Claudino, M.P. Comets, S. Constantinescu, P. Cortese, J. Cruz, A. De Falco, N. De Marco, G. Dellacasa, A. Devaux, S. Dita, O. Drapier, B. Espagnon, J. Fargeix, P. Force, M. Gallio, Y.K. Gavrilov, C. Gerschel, P. Giubellino, M.B. Golubeva, M. Gonin, A.A. Grigorian, S. Grigorian, J.Y. Grossiord, F.F. Guber, A. Guichard, H. Gulkanyan, R. Hakobyan, R. Haroutunian, M. Idzik, D. Jouan, T.L. Karavitcheva, L. Kluberg, A.B. Kurepin, Y. Le Bornec, C. Lourenço, P. Macciotta, M. Mac Cormick, A. Marzari-Chiesa, M. Masera, A. Masoni, M. Monteno, A. Musso, P. Petiau, A. Piccotti, J.R. Pizzi, W.L. Prado da Silva, F. Prino, G. Puddu, C. Quintans, L. Ramello, S. Ramos, P. Rato Mendes, L. Riccati, A. Romana, H. Santos, P. Saturnini, E. Scalas, E. Scomparin, S. Serci, R. Shahoyan, F. Sigaudo, M. Sitta, P. Sonderegger, X. Tarrago, N.S. Topilskaya, G.L. Usai, E. Vercellin, L. Villatte, N. Willis and T. Wu 253c

Measurements of $J/\Phi \rightarrow ee$ in $Au + Au$ collisions at $\sqrt{s_{NN}} = 200$ GeV at RHIC-PHENIX
K. Ozawa, for the PHENIX Collaboration 257c

Dissipation near the QCD phase transition
Á. Mócsy 261c

Ferromagnetism of nuclear matter in the relativistic approach
T. Maruyama and T. Tatsumi 265c

Event anisotropy measurement in 200 GeV $Au + Au$ collisions at RHIC-PHENIX experiment
S. Esumi, for the PHENIX Collaboration 269c

Results on identified charged hadrons from the PHENIX experiment at RHIC
T. Chujo, for the PHENIX Collaboration 273c

Energy loss of partons traversing a QGP fluid
T. Hirano and Y. Nara 277c

Time-evolution of collective meson fields and amplification of quantum meson modes in chiral phase transition
Y. Tsue 281c

Precursor of color superconductivity
M. Kitazawa, T. Koide, T. Kunihiro and Y. Nemoto 285c

Effects of vector coupling on chiral and color-superconducting phase transitions—interplay among the scalar, pairing and vector interaction
M. Kitazawa, T. Koide, T. Kunihiro and Y. Nemoto 289c

Geometric scaling in the color glass condensate
E. Iancu, K. Itakura and L. McLerran 293c

Measurement of invariant mass spectra of vector meson decaying in nuclear matter
M. Naruki, J. Chiba, H. En'yo, H. Funahashi, H. Hamagaki, M. Ieiri, M. Ishino, H. Kanda, M. Kitaguchi, S. Mihara, T. Miyashita, T. Murakami, R. Muto, M. Nomachi, K. Ozawa, F. Sakuma, O. Sasaki, H.D. Sato, M. Sekimoto, T. Tabaru, K.H. Tanaka, S. Yadama, S. Yokkaichi and Y. Yoshimura 297c

Mass and width of the σ meson at finite density
M.J. Vicente Vacas, E. Oset and L. Roca 301c

Negative elliptic flow from anomaly induced DCC formation
M. Asakawa, H. Minakata and B. Müller 305c

Neutrino rates in color flavor locked quark matter
S. Reddy, M. Sadzikowski and M. Tachibana 309c

Particle emission time sequence in intermediate energy heavy ion reactions
R. Ghetti, J. Helgesson and the CHIC Collaboration 313c

Nuclear stopping at SIS energies by using isospin asymmetric nuclear collisions
B. Hong and FOPI Collaboration 317c

Dynamics of particle production in relativistic nuclear collisions
K. Tuominen 321c

Session 2: Structure function

Generalized parton distributions and hard exclusive reactions
M. Vanderhaeghen 327c

Polarized parton distributions and QCD analysis
J. Blümlein and H. Böttcher 333c

Recent results from structure function measurements at HERA
R. Stamen, on behalf of the H1 and ZEUS Collaborations 336c

Measurement of spin structure functions at moderate Q^2 using CLAS
S.E. Kuhn, V. Dharmawardane, G.E. Dodge, S. Stepanyan, Y. Prok, R. Minehart, V. Burkert and the CLAS Collaboration 340c

Measurement of the absolute Drell–Yan dimuon cross sections in 800 GeV/c pp and pd collisions
C.A. Gagliardi, T.C. Awes, M.E. Beddo, M.L. Brooks, C.N. Brown, J.D. Bush, T.A. Carey, T.H. Chang, W.E. Cooper, G.T. Garvey, D.F. Geesaman, E.A. Hawker, X.C. He, L.D. Isenhower, D.M. Kaplan, S.B. Kaufman, P.N. Kirk, D.D. Koetke, G. Kyle, D.M. Lee, W.M. Lee, M.J. Leitch, N. Makins, P.L. McGaughey, J.M. Moss, B.A. Mueller, P.M. Nord, V. Papavassiliou, B.K. Park, J.C. Peng, G. Petitt, P.E. Reimer, M.E. Sadler, W.E. Sondheim, P.W. Stankus, T.N. Thompson, R.S. Towell, R.E. Tribble, M.A. Vasiliev, Y.C. Wang, Z.F. Wang, J.C. Webb, J.L. Willis, D.K. Wise and G.R. Young (FNAL E866/NuSea Collaboration) 344c

Direct measurement of $\Delta\bar{u}/\Delta\bar{d}$ using polarized Drell–Yan processes on meson–nucleon collisions
T. Yamanishi, H. Kitagawa and Y. Sakemi 348c

Azimuthal asymmetry in meson productions in electron–nucleon deep inelastic scattering by HERMES
T.-A. Shibata, on behalf of the HERMES Collaboration 352c

Commissioning of RHIC pC CNI polarimeter
K. Kurita 356c

Neutral pion measurements in polarized proton collisions from PHENIX at RHIC
Y. Goto, for the PHENIX Collaboration 360c

Single transverse spin asymmetry in $p^{\uparrow}p \to \pi X$ and $ep^{\uparrow} \to \pi X$
Y. Koike 364c

Deeply virtual Compton scattering using COMPASS at CERN
E. Burtin, N. d'Hose, P.A.M. Guichon and J. Marroncle 368c

Charmed hadron production in polarized pp reactions as a probe of polarized gluons in the proton
T. Morii and K. Ohkuma 372c

Quark–antiquark asymmetry of the nucleon strange sea
M. Wakamatsu 376c

DIS charged current $\Lambda_c^+/\bar{\Lambda}_c^+$ production as a probe of Δs and Δg
K. Mawatari, T. Morii, S. Oyama and K. Sudoh 380c

Experimental verification of the GDH sum rule up to 3 GeV
J. Krimmer, for the GDH Collaboration 384c

How the nuclear Fermi motion plus a simple statistical model explains the EMC effect
J. Rożynek and G. Wilk 388c

Session 3: Form factor

Recent results of neutron electromagnetic form factors
J. Jourdan, for the A1 Collaboration at Mainz 395c

Third and fourth S_{11} resonances in pion scattering and pion photoproduction
S.N. Yang, G.-Y. Chen, S.S. Kamalov, D. Drechsel and L. Tiator 401c

Electromagnetic form factors of baryons and the Poincaré covariance
E. Pace, A. Molochkov and G. Salmè 405c

Measurement of tensor analyzing power in elastic electron–deuteron scattering at momentum transfer range 2.8–4.6 fm^{-1}
D.M. Nikolenko, H. Arenhövel, L.M. Barkov, S.L. Belostotsky, V.F. Dmitriev, M.V. Dyug, R. Gilman, R.J. Holt, L.G. Isaeva, C.W. de Jager, E.R. Kinney, R.S. Kowalczyk, B.A. Lazarenko, A.Yu. Loginov, S.I. Mishnev, V.V. Nelyubin, A.V. Osipov, D.H. Potterveld, I.A. Rachek, R.Sh. Sadykov, Yu.V. Shestakov, A.A. Sidorov, V.N. Stibunov, D.K. Toporkov, V.V. Vikhrov, H. de Vries and S.A. Zevakov 409c

Separable kernel of nucleon–nucleon interaction in the Bethe–Salpeter approach for $J = 0, 1$
S.G. Bondarenko, V.V. Burov, N. Hamamoto, A. Hosaka, Y. Manabe and H. Toki 413c

Strange vector form factors in the context of the SAMPLE, A4, HAPPEX and G0 experiments
A. Silva, H.-C. Kim and K. Goeke 417c

Proton strange form factors and SAMPLE experiments
S.-T. Hong 421c

Revisiting the axial form factor of the nucleon from low Q^2 pion electroproduction
U. Müller and M. Potokar, for the A1 Collaboration 425c

Axial exchange currents and the spin content of the nucleon in a nonrelativistic chiral quark model
D. Barquilla-Cano, A.J. Buchmann and E. Hernández 429c

Pion and kaon vector form factors and their role in τ decay and the anomalous magnetic moment of the muon
J.E. Palomar 433c

Session 4: Fundamental symmetries and conservation laws

ε'/ε results from NA48 and KTeV E832
B. Vallage 439c

Further search for T-violation in the decay $K^+ \to \pi^0\mu^+\nu$
M. Abe, M. Aliev, V. Anisimovsky, M. Aoki, Y. Asano, T. Baker, M. Blecher, P. Depommier, M. Hasinoff, K. Horie, Y. Igarashi, J. Imazato, A. Ivashkin, M. Khabibullin, A. Khotjantsev, Yu. Kudenko, Y. Kuno, K.S. Lee, A. Levchenko, G.Y. Lim, J. Macdonald, O. Mineev, N. Okorokova, C. Rangacharyulu, S. Shimizu, Y.-M. Shin, N. Yershov and T. Yokoi, for the KEK E246 Collaboration 445c

$K_L \to \pi^0\nu\bar{\nu}$ experiment at KEK 12-GeV PS—E391a
M. Yamaga, M. Dorochenko, T. Inagaki, N. Ishihara, G.Y. Lim, T. Morimoto, H. Okuno, K. Omata, T. Sato, M. Sekimoto, Y. Yoshimura, A. Ajimura, T. Ikei, Y. Ikemoto, M. Nomachi, T. Oba, K. Sakashita, Y. Sugaya, T. Yamanaka, M. Itaya, T. Iwata, T. Hariu, M. Moriya, Y. Tajima, M. Yamamoto, H. Yoshida, Y. Yoshida, A. Lednev, J. Nix, G. Perdue, E. Pod, M. Rawtajizak, Y. Wah, H. Watanabe, V. Baranov, N. Khomouov, A. Kurilin, G. Macharashvili, A. Moissenko, Z. Tsamalaidze, Y. Akune, Y. Fujioka, N. Kawakubo, S. Kobayashi, T. Kojima, J.K. Ahn, H.S. Lee, S.Y. Lee, T. Shinkawa, Y.B. Hsiung and T. Nakano 449c

Search for charged Higgs bosons with the OPAL detector at LEP
D. Horváth 453c

Polarized muon decay: measurement of the polarization vector of the decay positrons as a test of time reversal invariance
W. Fetscher, K. Bodek, A. Budzanowski, N. Danneberg, C. Hilbes, L. Jarczyk, K. Kirch, S. Kistryn, J. Klement, K. Köhler, A. Kozela, J. Lang, X. Morelle, T. Schweizer, J. Smyrski, J. Sromicki, E. Stephan, A. Strzałkowski and J. Zejma 457c

Searching for muon to electron conversion below the 10^{-16} level
M. Hebert, on behalf of the MECO Collaboration 461c

The TWIST experiment (TRIUMF weak interaction symmetry test)
J.-M. Poutissou 465c

New limit on T violation in free neutron decay
T. Soldner, L. Beck, C. Plonka, K. Schreckenbach and O. Zimmer 469c

Precise laser spectroscopy of the antiprotonic helium atom and CPT test on antiproton mass and charge
H. Yamaguchi, J. Eades, R.S. Hayano, M. Hori, D. Horváth, T. Ishikawa, B. Juhász, J. Sakaguchi, H.A. Torii, E. Widmann and T. Yamazaki 473c

G-parity irregular current in the β decays of the mass A = 12 system with the refined empirical value of the weak magnetism
K. Minamisono, K. Matsuta, T. Minamisono, T. Yamaguchi, T. Sumikama, T. Nagatomo, M. Ogura, T. Iwakoshi, M. Mihara, M. Fukuda, K. Koshigiri and M. Morita 477c

Novel interferometer for cold neutrons using a pair of etalons
M. Kitaguchi, H. Funahashi, T. Nakura, M. Hino and H.M. Shimizu 481c

Parity-violating gamma-ray asymmetry in the neutron–proton capture
The NPDGAMMA Collaboration: Y. Masuda, J.D. Bowman, R.D. Carlini, T. Case, I.E. Chupp, K.P. Coulter, S.J. Freedman, T.R. Gentile, M. Gericke, G.L. Greene, F.W. Hersmann, T. Ino, S. Ishimoto, G.L. Jones, M.B. Leuschner, G.S. Mitchell, K. Morimoto, S. Muto, H. Nann, S.A. Page, S.I. Penttila, W.D. Ramsay, E.I. Sharapov, T.B. Smith, W.M. Snow, S.W. Wilburn and Y.W. Yuan 485c

Session 5: Neutrino physics

π^- absorption in water and light material
T. Numao, T. Awes, S. Berridge, W. Bugg, V. Cianciolo, Y. Davydov, Y. Efremenko, R. Gearhart, Y. Kamyshkov, S. Ovchinnikov, J.-M. Poutissou and G. Young 491c

Results on the search of neutrino magnetic moments from the Kuo-Sheng reactor neutrino experiment
H.T.-K. Wong, on behalf of the TEXONO Collaboration 495c

Status of the experiment on the laboratory search for the electron antineutrino magnetic moment at the level $\mu_\nu \leqslant 3 \times 10^{-12}\mu_B$
L.N. Bogdanova, for the MAMONT Collaboration 499c

The MINOS experiment
E.A. Peterson 503c

Current status of the MiniBooNE experiment
F.G. Garcia, for the BooNE Collaboration 505c

Atmospheric neutrinos: latest results from Super-Kamiokande
M. Ishitsuka, for the Super-Kamiokande Collaboration 509c

Study of atmospheric neutrinos with the MACRO detector
E. Scapparone, for the MACRO Collaboration 513c

Neutrino studies in ^{100}Mo and MOON—Mo Observatory of Neutrinos
P. Doe, H. Ejiri, S.R. Elliott, J. Engel, M. Finger, K. Fushimi , V. Gehman, A. Gorine, M. Greenfield, R. Hazama, K. Ichihara, T. Itahashi, P. Kavitov, V. Kekelidze, K. Kuroda, V. Kutsalo, K. Matsuoka, I. Manouilov, M. Nomachi, A. Para, A. Rjazantsev, R.G.H. Robertson, Y. Shichijo, L.C. Stonehill, T. Shima, G. Shirkov, A. Sissakian, Y. Sugaya, A. Titov, V. Vatulin, V. Voronov, O.E. Vilches, J.F. Wilkerson, D.I. Will and S. Yoshida 517c

Constraints on neutrino mixing parameters by neutrinoless double beta decay experiments
H. Sugiyama 521c

Double beta decay study of ^{48}Ca by CaF_2 scintillator
I. Ogawa, R. Hazama, S. Ajimura, K. Matsuoka, N. Kudomi, K. Kume, H. Ohsumi, K. Fushimi, N. Suzuki, T. Nitta, H. Miyawaki, S. Shiomi, Y. Tanaka, Y. Ishikawa, M. Itamura, K. Kishimoto, A. Katsuki, H. Sakai, D. Yokoyama, S. Umehara, S. Tomii, K. Mukaida, S. Yoshida, H. Ejiri and T. Kishimoto 525c

Initial runs of the NEMO 3 experiment
NEMO Collaboration 529c

Latest results from the Mainz neutrino mass experiment
Ch. Kraus, J. Bonn, B. Bornschein, L. Bornschein, B. Flatt, A. Kovalik, B. Müller, E.W. Otten, J.P. Schall, Th. Thümmler and Ch. Weinheimer 533c

Prediction of $|V_{13}|$ and the Dirac phase in the neutrino mixing matrix
T. Miura, T. Shindou and E. Takasugi 537c

Detectability of the supernova relic neutrinos
S. Ando, K. Sato and T. Totani 541c

Results from the AMANDA Telescope
O. Bouhali, for the AMANDA Collaboration: J. Ahrens, X. Bai, S.W. Barwick, T. Becka, K.-H. Becker, E. Bernardini, D. Bertrand, F. Binon, A. Biron, S. Böser, O. Botner, O. Bouhali, T. Burgess, S. Carius, T. Castermans, D. Chirkin, J. Conrad, J. Cooley, D.F. Cowen, A. Davour, C. De Clercq, T. DeYoung, P. Desiati, J.-P. Dewulf, P. Ekström, T. Feser, T.K. Gaisser, R. Ganupati, M. Gaug, H. Geenen, L. Gerhardt, A. Goldschmidt, A. Hallgren, F. Halzen, K. Hanson, R. Hardtke, T. Hauschildt, M. Hellwig, Ph. Herquet, G.C. Hill, P.O. Hulth, K. Hultqvist, S. Hundertmark, J. Jacobsen, A. Karle, L. Köpke, K. Kuehn, M. Kowalski, J.I. Lamoureux, H. Leich, M. Leuthold, P. Lindahl, I. Liubarsky, J. Madsen, K. Mandli, P. Marciniewski, H.S. Matis, C.P. McParland, T. Messarius, Y. Minaeva, P. Miočinović, R. Morse, R. Nahnhauer, T. Neunhöffer, P. Niessen, D.R. Nygren, H. Ogelman, Ph. Olbrechts, C. Pérez de los Heros, A.C. Pohl, P.B. Price, G.T. Przybylski, K. Rawlins, E. Resconi, W. Rhode, M. Ribordy, S. Richter,

J. Rodríguez Martino, H.-G. Sander, T. Schmidt, D. Schneider, K. Schinarakis, R. Schwarz, A. Silvestri, M. Solarz, G.M. Spiczak, C. Spiering, D. Steele, P. Steffen, R.G. Stokstad, P. Sudoff, K.-H. Sulanke, I. Taboada, L. Thollander, S. Tilav, W. Wagner, C. Walck, C. Weinheimer, C.H. Wiebusch, C. Wiedemann, R. Wischnewski, H. Wissing, K. Woschnagg, G. Yodh and S. Young 545c

Neutrino–deuteron reactions at solar neutrino energies
S. Nakamura, T. Sato, S. Ando, T.-S. Park, F. Myhrer, V. Gudkov and K. Kubodera 549c

Measurement of the ^8B neutrino spectrum
W. Winter, K.E. Rehm, C.L. Jiang, I. Ahmad, S.J. Freedman, J. Greene, A. Heinz, D. Henderson, R.V.F. Janssens, E.F. Moore, G. Mukherjee, R.C. Pardo, M. Paul, T. Pennington, G. Savard, J.P. Schiffer, D. Seweryniak and G. Zinkann 553c

Solar neutrino results from SNO and implications for neutrino oscillations
K. Graham, for the SNO Collaboration 556c

Session 6: Hadron physics

First results from the CELSIUS/WASA facility
S. Kullander, C. Bargholz, M. Bashkanov, D. Bogoslawsky, H. Calén, F. Cappellaro, H. Clement, L. Demiroers, E. Dorochkevitch, C. Ekström, K. Fransson, C.J. Fridén, M. Gornov, J. Greiff, L. Gustafsson, B. Höistad, G. Ivanov, M. Jacewicz, E. Jiganov, A. Johansson, T. Johansson, S. Keleta, N. Kimura, I. Koch, A. Kupsc, A. Kuznetsov, K. Lindberg, P. Marciniewski, B. Morosov, A. Nawrot, B. Nefkens, W. Oelert, C. Pauly, Y. Petukhov, A. Povtorejko, D. Reistad, R. Ruber, S. Sandukovsky, W. Scobel, R. Shafigulin, B. Shwartz, T. Skorodko, V. Sopov, J. Stepaniak, V. Tchernyshev, P.-E. Tegner, V. Tikhomirov, P. Thörngren Engblom, A. Turowiecki, G. Wagner, U. Wiedner, Z. Wilhelmi, A. Yamamoto, H. Yamaoka, J. Zabierowski and J. Zlomanczuk 563c

Two-pion production in proton–proton collisions near threshold as a probe for the $N^*(1440)P_{11}$ resonance
B. Höistad, for the CELSIUS-WASA Collaboration 570c

Chiral approach to the two pion decay of the Roper
E. Hernández, E. Oset and M.J. Vicente Vacas 575c

The $S_{11} - \Lambda(1405)$ and $-\Lambda(1670)$ resonances in meson–baryon unitarized coupled channel chiral perturbation theory
C. García-Recio, J. Nieves, E. Ruiz Arriola and M. Vicente Vacas 579c

Baryon resonance dynamics in $\pi N \to NV$ reactions near threshold
B. Kämpfer, A.I. Titov and B.L. Reznik 583c

Measurement of the spin rotation parameters in πp scattering as a key experiment for verifying characteristics of πN resonances
S.P. Kruglov, for the PNPI–ITEP Collaboration 587c

Phenomenological studies in QCD resummation
A. Kulesza, G. Sterman and W. Vogelsang 591c

A model-independent study of the QCD sum rule for the pion–nucleon coupling constant and a projected correlation function approach
Y. Kondo and O. Morimatsu 597c

Hadron physics with antiprotons
U. Wiedner 601c

$\rho\pi$-states in the antiproton–neutron annihilation into $\pi^- 3\pi^0$
F. Meyer-Wildhagen 605c

The anomalous suppression of $\pi_2(1670) \to b_1(1235)\pi$
P.R. Page 609c

Vector meson production at 3.67 GeV/c
M. Maggiora, for DISTO Collaboration: F. Balestra, Y. Bedfer, R. Bertini, L.C. Bland, A. Brenschede, F. Brochard, M.P. Bussa, S. Choi, M. Colantoni, R. Dressler, M. Dzemidzic, J.-Cl. Faivre, L. Fava, A. Ferrero, L. Ferrero, J. Foryciarz, I. Frölich, V. Frolov, R. Garfagnini, A. Grasso, S. Heinz, W.W. Jacobs, W. Kühn, A. Maggiora, M. Maggiora, A. Manara, D. Panzieri, H.-W. Pfaff, G. Piragino, G.B. Pontecorvo, A. Popov, J. Ritman, P. Salabura, V. Tchalyshev, F. Tosello, S.E. Vigdor and G. Zosi 613c

Flavor independent systematics of excited baryons and intra-band transition
M. Takayama Koma, A. Hosaka and H. Toki 617c

Search for narrow dibaryon resonances by the $pd \to pdX$ and $pd \to ppX$ reactions
A. Tamii, K. Hatanaka, M. Hatano, D. Hirooka, J. Kamiya, H. Kato, Y. Maeda, T. Saito, H. Sakai, S. Sakoda, K. Sekiguchi, N. Uchigashima, T. Wakasa and K. Yako 621c

On possible existence of the dibaryon resonance d_1^* and its role in the $np\gamma$ and $pd\gamma$ processes below the pion threshold
A.S. Khrykin 625c

Analyzing power of the reaction $\vec{p}p \to pp\pi^0$ at a beam energy of 390 MeV
Y. Maeda, M. Segawa, H.P. Yoshida, M. Nomachi, Y. Shimbara, Y. Sugaya, K. Yasuda, K. Tamura, T. Ishida, T. Yagita and A. Kacharava 629c

Near-threshold ω-meson production in proton–proton collisions: With or without resonance excitations?
K. Tsushima and K. Nakayama 633c

Polarization transfer measurement for d–p scattering and three nucleon force effects
K. Sekiguchi, H. Sakai, H. Okamura, A. Tamii, T. Uesaka, K. Suda, N. Sakamoto, T. Wakasa, Y. Satou, T. Ohnishi, K. Yako, S. Sakoda, K. Suda, H. Kato, Y. Maeda, M. Hatano, J. Nishikawa, T. Saito, N. Uchigashima, N. Kalantar-Nayestanaki and K. Ermisch 637c

Simultaneous softening of σ and ρ mesons associated with chiral restoration
K. Yokokawa, T. Hatsuda, A. Hayashigaki and T. Kunihiro 641c

Fragmentation of polarized deuteron into high momentum mesons as source of spin information of deuteron core structure
S. Afanasiev, V. Arkhipov, V. Bondarev, I. Daito, N. Doushita, S. Fukui, N. Horikawa, A. Isupov, T. Iwata, A. Khrenov, D. Kirillov, K. Kondo, V. Ladygin, A. Litvinenko, A. Malakhov, V. Penev, Yu. Pilipenko, S. Reznikov, P. Rukoyatkin, A. Wakai and L. Zolin 645c

Pion–proton scattering at TRIUMF and PSI
R. Meier, for the CHAOS and LEPS Collaborations 649c

Electromagnetic corrections to $\pi^- p$ scattering length from pionic hydrogen
T.E.O. Ericson, B. Loiseau and S. Wycech 653c

Hadronic interaction of η and η′ mesons with nucleons
P. Moskal, H.-H. Adam, A. Budzanowski, R. Czyżykiewicz, D. Grzonka, M. Janusz, L. Jarczyk, B. Kamys, A. Khoukaz, K. Kilian, P. Kowina, T. Lister, W. Oelert, T. Rożek, R. Santo, G. Schepers, T. Sefzick, M. Siemaszko, J. Smyrski, S. Steltenkamp, A. Strzałkowski, P. Winter, M. Wolke, P. Wüstner and W. Zipper 657c

η nucleus optical potential in a chiral unitary approach
T. Inoue and E. Oset 661c

Medium effects to the N(1535) resonance and η mesic nuclei
D. Jido, H. Nagahiro and S. Hirenzaki 665c

Surface pion condensation in finite nuclei
S. Sugimoto, H. Toki and K. Ikeda 669c

Spin-dependent interactions in hyperon–nucleon scattering
K. Nakai 673c

Meson-production and the structure of scalar mesons
J. Speth, F.P. Sassen and S. Krewald 679c

Strangeness production in proton–proton collisions close to threshold
M. Wolke, H.-H. Adam, A. Budzanowski, R. Czyżykiewicz, D. Grzonka, M. Janusz, L. Jarczyk, B. Kamys, A. Khoukaz, K. Kilian, P. Kowina, T. Lister,

P. Moskal, W. Oelert, T. Rożek, R. Santo, G. Schepers, T. Sefzick, M. Siemaszko, J. Smyrski, S. Steltenkamp, A. Strzałkowski, P. Winter, P. Wüstner and W. Zipper 683c

Recent results from CLAS
D.J. Tedeschi, for the CLAS Collaboration 687c

K^+ photoproduction at SPring-8/LEPS
M. Sumihama, for the LEPS Collaboration 693c

The eta-photoproduction in the relativistic approach
T. Maruyama and S. Chiba 697c

Eta and two pion electroproduction with CLAS
J.A. Mueller, for the CLAS Collaboration 701c

Chiral symmetry of baryons
A. Hosaka, D. Jido and M. Oka 705c

Low-lying $J^P = 1/2^-$ resonances from chiral unitary dynamics
A. Ramos, E. Oset and C. Bennhold 711c

$\Lambda(1405)$ photoproduction at SPring-8/LEPS
J.K. Ahn, for the LEPS Collaboration 715c

σ meson in a nuclear medium through two pion photoproduction
L. Roca, E. Oset and M.J. Vicente Vacas 719c

$2\pi^0$ photoproduction experiment at SPring-8
T. Matsumura, H. Kohri, T. Hotta, T. Nakano, T. Mibe, R.G.T. Zegers, M. Fujiwara, N. Muramatsu, T. Ishikawa, M. Miyabe, M. Niiyama, M. Sumihama, H. Nakamura, Y. Sugaya, H. Kawai, T. Ooba, Y. Shiino, P.M. Shagin, K. Hicks, C. Rangacharyulu, S. Daté, Y. Ohashi, T. Yorita, Y. Tajima, H.Y. Yoshida, D. Oshuev, J.K. Ahn, J. Kasagi, T. Kinoshita, T. Nakabayashi, H. Yamazaki and H. Shimizu 723c

Production of η mesons in nucleon–nucleon collisions
V. Baru, A.M. Gasparyan, J. Haidenbauer, C. Hanhart, A.E. Kudryavtsev and J. Speth 727c

Magnetic moment of the $S_{11}(1535)$ resonance
W.-T. Chiang, S.N. Yang, M. Vanderhaeghen and D. Drechsel 731c

Proton–proton bremsstrahlung at the threshold region of the pion production
M. Yamaguchi and A. Hosaka 735c

Threshold production of ϕ mesons off protons by linearly polarized photons at SPring-8/LEPS
W.C. Chang and T. Mibe, for the LEPS Collaboration 739c

π and ρ loop corrections to ω photoproduction in the resonance region
Y. Oh and T.-S.H. Lee 743c

Non-diffractive processes and status of OZI-rule in ω and ϕ-meson photoproduction
A.I. Titov 747c

Backward production of ω mesons by linearly polarized photons at SPring-8/LEPS
T. Hotta, for the LEPS Collaboration 751c

The F/D ratio and meson–baryon couplings from QCD sum rules
T. Doi, H. Kim, Y. Kondo and M. Oka 755c

Chiral unitary approach to the rho meson in the nuclear medium
D. Cabrera 759c

Hard pion electroproduction at medium energies
A. Afanasev and C.E. Carlson 763c

Photoproduction of pseudoscalar mesons
R.A. Arndt, W.J. Briscoe, G.V. O'Rielly, I.I. Strakovsky and R.L. Workman 769c

Studies on the electromagnetic structure of the nucleon by free and quasi-free Compton scattering at MAMI (Mainz)
M. Schumacher 773c

The helicity structure of the nucleon excitation spectrum
J. Krimmer, for the GDH Collaboration 777c

$\eta\pi^0$ photoproduction off protons with the CB-ELSA experiment
Ch. Weinheimer, for the CB-ELSA Collaboration 781c

Deeply virtual Compton scattering and hard exclusive pion production measured by HERMES
B. Seitz, on behalf of the HERMES Collaboration 785c

Deeply virtual Compton scattering on spin-1 nuclei
F. Cano and B. Pire 789c

Experimental studies of $\pi^+\pi^-$ and K^+K^- production in two-photon collisions
S. Uehara, for the Belle Collaboration 793c

Preliminary results on $\gamma\gamma \to K_s K^{\pm}\pi^{\mp}$ from e^+e^- scattering at CLEO
V. Savinov and R. Ahohe 797c

KLOE results on ϕ radiative decays
S. Giovannella, for the KLOE Collaboration: A. Aloisio, F. Ambrosino, A. Antonelli, M. Antonelli, C. Bacci, G. Bencivenni, S. Bertolucci, C. Bini, C. Bloise, V. Bocci, F. Bossi, P. Branchini, S.A. Bulychjov, R. Caloi, P. Campana, G. Capon, G. Carboni, M. Casarsa, V. Casavola, G. Cataldi, F. Ceradini, F. Cervelli, F. Cevenini, G. Chiefari, P. Ciambrone, S. Conetti, E. De Lucia, P. De Simone, G. De Zorzi, S. Dell'Agnello, A. Denig, A. Di Domenico, C. Di Donato, S. Di Falco, B. Di Micco, A. Doria, M. Dreucci, O. Erriquez, A. Farilla, G. Felici, A. Ferrari, M.L. Ferrer, G. Finocchiaro, C. Forti, A. Franceschi, P. Franzini, C. Gatti, P. Gauzzi, S. Giovannella, E. Gorini, E. Graziani, S.W. Han, M. Incagli, W. Kluge, V. Kulikov, F. Lacava, G. Lanfranchi, J. Lee-Franzini, D. Leone, F. Lu, M. Martemianov, M. Matsyuk, W. Mei, L. Merola, R. Messi, S. Miscetti, M. Moulson, S. Müller, F. Murtas, M. Napolitano, A. Nedosekin, F. Nguyen, M. Palutan, E. Pasqualucci, L. Passalacqua, A. Passeri, V. Patera, E. Petrolo, L. Pontecorvo, M. Primavera, F. Ruggieri, P. Santangelo, E. Santovetti, G. Saracino, R.D. Schamberger, B. Sciascia, A. Sciubba, F. Scuri, I. Sfiligoi, A. Sibidanov, T. Spadaro, E. Spiriti, G.L. Tong, L. Tortora, P. Valente, B. Valeriani, G. Venanzoni, S. Veneziano, A. Ventura, S. Ventura, R. Versaci and G.W. Yu 801c

Resonances and Λ^0 polarization in 800 GeV/c $pp \to p_{diffracted}\Lambda^0 K^+$
J. Felix, M.C. Berisso, D.C. Christian, A. Gara, E.E. Gottschalk, G. Gutierrez, E.P. Hartouni, B.C. Knapp, M.N. Kreisler, S. Lee, K. Markianos, G. Moreno, M.A. Reyes, M.H.L.S. Wang, A. Wehmann and D. Wesson 805c

Charmonium states at the Fermilab Antiproton Accumulator. New results from E835
E835 Collaboration: M. Andreotti, S. Bagnasco, W. Baldini, D. Bettoni, G. Borreani, A. Buzzo, R. Calabrese, R. Cester, G. Cibinetto, P. Dalpiaz, G. Garzoglio, K.E. Gollwitzer, M. Graham, D. Joffe, J. Kasper, G. Lasio, M. LoVetere, E. Luppi, M. Macrì, M. Mandelkern, F. Marchetto, M. Marinelli, E. Menichetti, Z. Metreveli, R. Mussa, M. Negrini, M.M. Obertino, M. Pallavicini, N. Pastrone, C. Patrignani, S. Pordes, E. Robutti, W. Roethel, J. Rosen, P. Rumerio, R.W. Rusack, A. Santroni, J. Schultz, S.H. Seo, K.K. Seth, G. Stancari, M. Stancari, A. Tomaradze, T. Vidnovic, S. Werkema and P. Zweber 809c

Reduced Fermi-motion effect by kinematical corrections in diffractive leptoproduction of heavy quarkonium
A. Hayashigaki, K. Suzuki and K. Tanaka 813c

The studies of the $\gamma\gamma \to p\bar{p}$ production by the Belle detector
C.-C. Kuo, S.-C. Kao, A. Chen, S. Uehara and W.-T. Chen, for the Belle Collaboration 817c

Jet physics at HERA
P.J. Bussey 821c

Heavy flavour physics at HERA
P.J. Bussey 825c

Session 7: Exotic atoms and nuclei

Deeply bound pionic 1s states in Sn isotopes
K. Suzuki, M. Fujita, H. Geissel, H. Gilg, A. Gillitzer, R.S. Hayano, S. Hirenzaki, K. Itahashi, M. Iwasaki, P. Kienle, M. Matos, G. Münzenberg, T. Ohtsubo, M. Sato, M. Shindo, T. Suzuki, H. Weick, M. Winkler, T. Yamazaki and T. Yoneyama 831c

Chiral dynamics and pionic 1s states of Pb and Sn isotopes
E.E. Kolomeitsev, N. Kaiser and W. Weise 835c

Formation of deeply bound pionic atoms in the (d, ^{3}He) reaction
S. Hirenzaki 839c

The s-wave repulsion and deeply bound pionic atoms: fact and fancy
E. Friedman and A. Gal 842c

The observation of deeply bound pionic states of xenon produced in the $d + Xe_{nat} \rightarrow Xe_{\pi\text{-}bound} + {}^3He$ *reaction*
M. Andersson, Chr. Bargholtz, B. Chernyshev, L. Gerén, M. Gornov, V. Grebenev, Y. Gurov, B. Höistad, V. Sandukovsky, R. Shafigullin, P.-E. Tegnér, and K. Wilhelmsen Rolander 846c

Precision measurements in pionic hydrogen
D.F. Anagnostopoulos, M. Cargnelli, H. Fuhrmann, M. Giersch, D. Gotta, A. Gruber, M. Hennebach, A. Hirtl, P. Indelicato, Y.W. Liu, B. Manil, V.E. Markushin, J. Marton, N. Nelms, L.M. Simons, M. Trasinelli and J. Zmeskal 849c

Charmonium spectroscopy—a review
K.K. Seth 853c

First observation of the hyperfine and superhyperfine structure of antiprotonic helium by laser-microwave spectroscopy
J. Sakaguchi, J. Eades, R.S. Hayano, M. Hori, D. Horváth, T. Ishikawa, B. Juhász, H.A. Torii, E. Widmann, H. Yamaguchi and T. Yamazaki 859c

Recent progress in muon catalyzed fusion
K. Nagamine and L. Ponomarev 863c

Session 8: QCD

Hadronic spectral functions below and above the deconfinement phase transition
M. Asakawa and T. Hatsuda 869c

Heavy quark systems in anisotropic lattice QCD
H. Matsufuru, J. Harada, T. Onogi and A. Sugita 875c

Negative-parity baryons in quenched anisotropic lattice QCD
Y. Nemoto, N. Nakajima, H. Matsufuru and H. Suganuma 879c

Gasser–Leutwyler coefficients from partially quenched lattice QCD
G.T. Fleming, G.W. Kilcup and D.R. Nelson 883c

Gluonic Higgs scalar, Abelianization and monopoles in QCD—similarity and difference between QCD in the MA gauge and the NAH theory
H. Suganuma and H. Ichie 887c

Mass gap and quark confinement due to a novel vacuum condensate in Yang–Mills theory
K.-I. Kondo, T. Imai, H. Kato, T. Murakami and T. Shinohara 891c

Perfect lattice monopole action from the continuum in hot SU(2) gluodynamics
K. Ishiguro, M.N. Chernodub and T. Suzuki 895c

Flux tubes of two- and three-quark system in full QCD
H. Ichie, V. Bornyakov, T. Streuer and G. Schierholz 899c

Casimir scaling hypothesis on the nonperturbative force in QCD vs. dual superconducting scenario of confinement
Y. Koma, M. Koma and H. Toki 903c

Hadron wave functions and the issue of nucleon deformation
C. Alexandrou, Ph. de Forcrand and A. Tsapalis 907c

QCD interpretation of diffraction in ep collisions
Y. Yamazaki, on behalf of the H1 and ZEUS Collaborations 911c

Progress in the calculation of nucleon form factors and parton distribution functions
A.W. Thomas, J.D. Ashley, W. Detmold, D.B. Leinweber, W. Melnitchouk and R.D. Young 915c

Charmonium near the deconfining transition on the lattice
T. Umeda, H. Matsufuru, O. Miyamura and K. Nomura 922c

Behind the success of the quark model
T.T. Takahashi, H. Suganuma, H. Ichie, H. Matsufuru and Y. Nemoto 926c

Finite temperature phase transition in lattice QCD with $N_f = 2$ nonperturbatively improved Wilson fermions at $N_t = 8$
Y. Mori, V. Bornyakov, M. Chernodub, Y. Koma, Y. Nakamura, T. Suzuki, M. Polikarpov, D. Sigaev, P. Uvarov, A. Veselov, A. Slavnov, G. Schierholz and H. Stüben 930c

Quark–gluon mixed condensate $g\langle\bar{q}\sigma_{\mu\nu}G_{\mu\nu}q\rangle$ from lattice QCD
T. Doi, N. Ishii, M. Oka and H. Suganuma 934c

Chiral extrapolations of nucleon properties from lattice QCD
T.R. Hemmert, M. Procura and W. Weise 938c

Session 9: Flavored matter

To bind or not to bind: $\Lambda\Lambda$ hypernuclei and Ξ hyperons
A. Gal 945c

Observation of double-hypernuclei and Λ–Λ interaction
J.H. Takahashi, J.K. Ahn, H. Akikawa, S. Aoki, K. Arai, S.Y. Bahk, K.M. Baik, B. Bassalleck, J.H. Chung, M.S. Chung, D.H. Davis, T. Fukuda, K. Hoshino, A. Ichikawa, M. Ieiri, K. Imai, Y.H. Iwata, Y.S. Iwata, H. Kanda, M. Kaneko, T. Kawai, M. Kawasaki, C.O. Kim, J.Y. Kim, S.J. Kim, S.H. Kim, Y. Kondo, T. Kouketsu, K.N. Kyaw, Y.L. Lee, J.W.C. McNabb, M. Mitsuhara, Y. Nagase, C. Nagoshi, K. Nakazawa, H. Noumi, S. Ogawa, H. Okabe, M. Okuda, K. Oyama, B.D. Park, H.M. Park, I.G. Park, J. Parker, Y.S. Ra, J.T. Rhee, A. Rusek, H. Shibuya, K.S. Sim, P.K. Saha, D. Seki, M. Sekimoto, J.S. Song, T. Takahashi, F. Takeutchi, H. Tanaka, K. Tanida, J. Tojo, H. Torii, S. Torikai, D.N. Tovee, N. Ushida, T. Wint, K. Yamamoto, N. Yasuda, J.T. Yang, C.J. Yoon, C.S. Yoon, M. Yosoi, T. Yoshida and L. Zhu 951c

Study of doubly strangeness nuclei at BNL
T. Fukuda, for BNL-AGS E906 Collaboration 955c

Baryonic mixing in double-strangeness hypernuclei and $\Lambda\Lambda$ bond energies
D.E. Lanskoy 959c

$\Lambda\Lambda$–ΞN coupling effects in light double-Λ-hypernuclei
K.S. Myint, S. Shinmura and Y. Akaishi 963c

Λ- and $\Lambda\Lambda$-hypernuclear decay predictions in a OME model
A. Parreño, A. Ramos, G. Garbarino and C. Bennhold 967c

Nonmesonic decay of Λ and $\Lambda\Lambda$ hypernuclei
K. Sasaki, T. Inoue and M. Oka 971c

Testing the K^--nucleus interaction in (K^-_{stop}, π) reactions
A. Cieplý, E. Friedman, A. Gal and J. Mareš 975c

Structure of ${}^{13}_{\Lambda}C$ hypernucleus studied by the $(K^-, \pi^-\gamma)$ reaction
A. Sakaguchi, S. Ajimura, H. Hayakawa, T. Kishimoto, H. Kohri, K. Matsuoka, S. Minami, Y.S. Miyake, K. Morikubo, E. Saji, Y. Shimizu, M. Sumihama, R.E. Chrien, M. May, P. Pile, A. Rusek, R. Sutter, P.M. Eugenio, G. Franklin, P. Khaustov, K. Paschke, B. Quinn, R.A. Schumacher, J. Franz, T. Fukuda,

L. Gan, L. Tang, L. Yuan, J. Nakano, H. Noumi, H. Outa, T. Tamagawa, K. Tanida, R. Sawafta, H. Tamura and H. Akikawa 979c

Three-nucleon bound state in the SU_6 quark model for the baryon–baryon interaction
Y. Fujiwara, K. Miyagawa, Y. Suzuki, M. Kohno and H. Nemura 983c

The hypernuclei ${}^{4}_{\Lambda}$He and ${}^{4}_{\Lambda}$H with modern YN interactions
H. Kamada, A. Nogga and W. Glöckle 987c

Photoproduction of neutral kaons on C in the threshold region
NKS Collaboration: T. Takahashi, Y. Fujii, O. Hashimoto, K. Itoh, H. Kanda, M. Katoh, T. Kinoshita, O. Konno, K. Maeda, H. Miyase, K. Mizunuma, S.N. Nakamura, T. Osaka, A. Sasaki, T. Tamae, H. Tamura, T. Terasawa, H. Tsuboda, K. Tsukada, M. Ukai, M. Wakamatsu, T. Watanabe and H. Yamazaki 991c

Sigma-nucleus interactions in medium to heavy nuclei
H. Noumi 995c

High-resolution γ-ray spectroscopy of hyperfragments produced by stopped K^- reactions
KEK-PS E509 Collaboration: K. Tanida, H. Akikawa, Y. Fukao, H. Hotchi, K. Imai, Y. Miura, K. Miwa, K. Mizunuma, S.N. Nakamura, M. Niiyama, S. Ohta, P.K. Saha, H. Takahashi, T. Takahashi, H. Tamura, S. Terashima, M. Togawa and M. Ukai 999c

Temperature effects on hyperon superfluids in neutron stars
T. Takatsuka and R. Tamagaki 1003c

Light hypernuclei as chiral solitons
V.B. Kopeliovich 1007c

Session 10: Nuclear and particle astrophysics

Cross section of ^{3}He(^{3}He, 2p)^{4}He measured near the Gamow peak
T. Itahashi, N. Kudomi, S. Yoshida, K. Kume, M. Komori and H. Ohsumi 1015c

Nuclear astrophysics at ISAC with DRAGON: initial studies
A. Olin, S. Bishop, L. Buchmann, M.L. Chatterjee, A. Chen, J.M. D'Auria, S. Engel, D. Gigliott, U. Greife, D. Hunter, A. Hussein, D. Hutcheon, C. Jewett, J. King, S. Kubono, M. Lamey, A.M. Laird, R. Lewis, W. Liu, S. Michimasa, D. Ottewell, P. Parker, J. Rogers, F. Strieder and C. Wrede 1019c

Nuclear cosmochronometry and universality in the r-process abundances
K. Otsuki, G.J. Mathews, T. Kajino, S. Honda, W. Aoki, A. Aprahamian and K. Vaughan 1024c

Some aspects of strangeness in astrophysics and cosmology
S. Banerjee, A. Bhattacharyya, S.K. Ghosh, S. Raha, B. Sinha and H. Toki 1028c

Quark matter in compact stars
F. Weber 1032c

R-process in prompt and delayed supernova explosions
K. Sumiyoshi 1036c

Neutrino–nucleon scattering rate in the relativistic random phase approximation
L. Mornas 1040c

The East–West effect of the muon charge ratio at energies relevant to the atmospheric neutrino anomaly
I.M. Brancus, J. Wentz, B. Mitrica, H. Rebel, M. Petcu, H. Bozdog, H.J. Mathes, A.F. Badea, A. Bercuci, C. Aiftimiei, M. Duma, A. Meli, G. Toma and B. Vulpescu 1044c

Relativistic equation of state for supernova and neutron star
H. Shen, H. Toki, K. Oyamatsu and K. Sumiyoshi 1048c

Limits on the mass of the lightest supersymmetric particle at LEP
U. Blumenschein 1052c

Search for WIMPs with NaI(Tl) detectors at Oto Cosmo Observatory
S. Yoshida, H. Ejiri, K. Fushimi, K. Hayashi, T. Kishimoto, N. Kudomi, K. Kume, H. Kuramoto, K. Matsuoka, H. Ohsumi, K. Takahisa, Y. Tsujimoto and S. Umehara 1056c

Electroweak physics and ultra high energy cosmic rays
W.-Y.P. Hwang 1060c

Session 11: Facilities and instrumentation

An electron–ion collider at CEBAF
K. de Jager, L. Merminga and Ya. Derbenev 1067c

Measuring the linear polarization of γs in 20–170 GeV range
G. Ünel, on behalf of Na59 Collaboration 1071c

The MIT-bates large acceptance spectrometer toroid
R. Alarcon 1075c

New $(e, e' K^+)$ hypernuclear spectroscopy with a high resolution kaon spectrometer
Y. Fujii, O. Hashimoto, D. Honda, S. Kato, A. Matsumura, P. Markowitz, T. Miyoshi, S.N. Nakamura, H. Nomura, Y. Okayasu, T. Osaka, J. Reinhold, Y. Sato, T. Takahashi, H. Tamura, L. Tang, H. Yamaguchi, Y. Yamamoto and H. Yamauchi 1079c

The PRISM project at the high-intensity proton machine project
A. Sato 1083c

The gaseous microstrip detector micromegas for the COMPASS experiment at CERN
F. Kunne, P. Abbon, J. Ball, Y. Bedfer, C. Bernet, E. Delagnes, A. Giganon, J.-M. Le Goff, A. Magnon, D. Neyret, H. Pereira, S. Platchkov, P. Rebourgeard, G. Tarte and D. Thers 1087c

SCITIC; an active tracking detector system for the hyperon–nucleon elastic scattering experiment (KEK-PS E452)
J. Asai 1091c

Time projection chamber at SPring-8
M. Niiyama, K. Imai, M. Nakamura, M. Yosoi, T. Ishikawa, M. Miyabe, K. Miwa, J.K. Ahn, D.S. Ahn, T. Nakano, H. Bhang, H. Fujimura, H. Kohri, Y. Sugaya, C.W. Wang, W.C. Chang, T.H. Chang and D. Oshuev 1095c

New capabilities of the Grand Raiden Spectrometer
T. Wakasa, G.P.A. Berg, H. Fujita, Y. Fujita, K. Hatanaka, K. Hara, M. Itoh, J. Kamiya, T. Kawabata, K. Nagayama, T. Noro, H. Sakaguchi, Y. Shimbara, Y. Shinada, H. Takeda, K. Tamura, H. Ueno, M. Uchida, M. Uraki and M. Yosoi 1099c

WITCH: testing the Standard Model using a β-recoil spectrometer with a trapped ion cloud as source
A. Lindroth, M. Beck, B. Delauré, V.Yu. Kozlov, N. Severijns, F. Ames, D. Beck, V.V. Golovko, I. Kraev, T. Phalet and S. Versyck 1103c

TRIμP—a radioactive isotope trapping facility at KVI
G.P.A. Berg, P. Dendooven, O. Dermois, M.N. Harakeh, R. Hoekstra, S. Hoekstra, K. Jungmann, S. Kopecky, V. Kravchuk, R. Morgenstern, A. Rogachevskiy, L. Willmann and H.W. Wilschut 1107c

Program 1111c

List of participants 1129c

Author index 1139c